Friday, 7/21/2006 7:37:00 AM Date: Kim Johnston User: **Process Sheet** : LUG ASSEMBLY : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 28015 : 10012 **Estimate Number** : D27363 **Part Number** : NIA-P.O. Nuniber : D2736 REVA S.O. No. : NIA : 7/21/2006 **Drawing Number** This Issue : N/A **Project Number** Prsht Rev. : NC : NIA : LARGE FAB ASSY : A Type **Drawing Revision** First Issue : 26407 Material :NA **Previous Run** : 8/10/2006 Qty: 40 Um: Each **Due Date** Written By Checked & Approved By Removed from 9 digit 05-10-25 JLM : Est Rev:D Comment **Additional Product** Job Number: **Machine Or Operation:** Description: Seq. #: 1.0 D2591 Lug Comment: Qty.: 1.0000 Each(s)/Unit Total: 40.0000 Each(s) Pick: Part Number Description Batch 1 D2591 Lug 2.0 D27353 Lug Bracket 1.0000 Each(s)/Unit Total: 40.0000 Each(s) Comment: Qty.: Pick: Description Qty Part Number Batch D2735-3 Lug Bracket 3.0 LARGE FAB Comment: LARGE FABRICATION RESOURCE 1 Weld D2591 & D2735-1 as per QSI 004 and Dwg D2736 using locating Jig DT8484 Steel Rod Batch: M18579 WELD INSPECTION 4.0 QC5/9 Comment: WELD INSPECTION 06-08 HAND FINISHING RESOURCE #1 HAND FINISHING1 5.0 Comment: HAND FINISHING RESOURCE #1 Powder Coat White (Ref: 4.3.5.2) as per QSI 005 4.3

Dart Aerospace Ltd

STEP							
STEP PROCEDURE CHANGE		Ву	Date Q		Approval Mfg / Design Mgr	Approval QC Inspector	

	WORK ORDER NON-CONFORMANCE (NCR)							
	Description of NC		Corrective Action Section B					
E STEP Description of NC Section A		Initial Design Mgr	Action Description Design Mgr	Sign & Date	Section C	Design Mgr	Approval QC inspector	
-								
<u> </u>	j							
					,			
	STEP	STED Description of NC	STEP Description of NC Section A Initial	STEP Description of NC Section A Initial Action Description	STEP Description of NC Section A Initial Action Description Sign &	STEP Description of NC Section A Initial Action Description Sign & Section C	STEP Description of NC Section A Initial Action Description Sign & Section C Design Mgr	

Part No:	PAR #:	Fault Category:	NCR:	Yes (No) DQA:	Date: <u>06/08/a8</u>
NOTE: Date & initial all entries				QA: N/C Closed:	Date:

Date: Friday, 7/21/2006 7:37:00 AM Kim Johnston User: **Process Sheet** Drawing Name: LUG ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 28015 Part Number: D27363 Job Number: Description: Seq. #: **Machine Or Operation:** INSPECT POWDER COAT/CHEMICAL CONVERSION 6.0 Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION PACKAGING RESOURCE# PACKAGING 1 7.0 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: ST149 DOCUMENT CONTROL DC 8.0 Comment: DOCUMENT CONTROL Inspection Level 21 Job Completion CX06108128

Dart Aerospace Ltd

W/O:			WO	RK ORDER CHANGES					
DATE	STEP	PR	OCEDURE CHAN	IGE	Ву	Date	Qty	Approval Mfg / Design Mgr	Approval QC Inspector
NOD.			WORK ORDE	R NON-CONFORMAN	CF (NCI	3)			
NCR:		Corrective Action Section							T
DATE	STEP	Description of NC Section A	Initial Design Mgr	Action Description Design Mgr	Sign Date	Sect	Verification Section C	Approval Design Mgr	Approval QC Inspector
					:				
				•					
ı									
Part No):	PAR #:	Fault Category	r: NCR: `	′es No	DQA:		Date:	
	ate & initial				QA: N/C C			Date:	


H:\forms\Quality Assurance\approved forms\NCRWO revC

~







DESIGN	DRAWN BY	DART AEROSPACE VICTORIA INTERNATIONAL AIRPORT,	
CHECKED	APPRO ED	DRAWING NO.	REV. A
RE	14	D2736	SHEET 1 OF 1
DATE		TITLE	SCALE
97.12.18	i .	LUG ASSEMBLY	NTS
Α	97.12.18	NEW ISSUE	



D2736-1 LUG ASSEMBLY



D2736-3 LUG ASSEMBLY



VIEW A-A


NOTES:

WELD PER DART QSI 004

FINISH: POWDER COAT WHITE PER DART QSI 005 4.3

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

PART IS SYMMETRIC ABOUT CENTRE-LINES (ϕ)



ENGINEERING

UNCONTROLLED COPY

Copyright 1997 by DART AEROSPACE LTD

WITHOUT NOTICE







DESIG	4	DRAWN BY	DART AEROSPACE LTD HÄWKESBURY, ONTARIO, CANADA		
CHEC	KED	APPROVED KE	DRAWING NO. D2735 SHEET	REV. C	
DATE			TITLE	SCALE	
98.	12.14		LUG BRACKET	2:3	
Α		97.12.14	NEW ISSUE		
		00.40.07	LICOATE MATERIAL (TOD A4444)		

RELEASED

		37.12.14	INCW ISSUE
	В	98.10.23	UPDATE MATERIAL (TSR A1114)
i	С	98.12.14	REMOVE TOOLING HOLES (TSR A1040)





$\begin{array}{c} \underline{\text{D2735-1}} \ \ \text{FLAT} \ \ \underline{\text{PATTERN}} \\ \text{SYMMETRIC} \ \ \text{ABOUT} \ \ \text{BOTH} \ \ \text{CENTRE-LINES} \ \ (\begin{matrix} G \\ \\ \\ \end{matrix}) \end{array}$





DESIGN	DRAWN BY	DART AEROSPA HAWKESBURY, ONTARIO	
CHECKED	APPROVED #E	DRAWING NO. D2735	REV. C SHEET 2 OF 2
DATE	1	TITLE	5CALE
98.12.14	1.0.0000	LUG BRACKET	2:3





D2735-1 AND D2735-3 BEND DETAIL
D2735-1 AND D2735-3 SHOULD BE BENT TO WITHIN 0.010 OF THE OUTSIDE PROFILE OF THE D2500-1 EXTRUSION IN THE AREAS INDICATED 'X' ABOVE.

GENERAL NOTES

MATERIAL: ASTM A36/A366/A569/A570 OR AISI 1010-1025 STEEL

0.125 THICK (11 GAUGE)

MIN. ULTIMATE TENSILE STRENGTH = 42 ksi MIN. YIELD TENSILE STRENGTH = 28 ksi

SHOP COPY

TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTEDRETURN TO ALL DIMENSIONS ARE IN INCHES

ENGINEERING

(INCONTROLLED COPY SUBJECT TO AMENDMENT WITHOUT NOTICE

WORK ORDER NO. 28015